



RHEUMATOLOGY ORDER SET

P: 800-648-8055 | F: 414-563-0600

PATIENT IN	FORMATION Fax completed form, insurance information and clinical documentation	n to 414-563-0600
Patient Name:	DOB: Phone:	
Patient Status:	New to Therapy	
MEDICAL IN	IFORMATION	
Patient Weight: _	Ibs. Patient Height: Allergies:	
	Diagnosis:	
☐ Rheumatoid Ard ☐ Unspecified Iric	thritis, Unspecified	
•	oriasis, Unspecified	
☐ Rheumatoid Ar	thritis with Rheumatoid Factor, Unspecified	
☐ Rheumatoid Art	hritis without Rheumatoid Factor, Unspecified	
THERAPY O	RDER	
Drug	Dosing	Refill
Actemra	□ 4 mg/kg IV every 4 weeks fordoses, then followed by 8mg/kg every 4weeks thereafter □ 4 mg/kg IV every 4 weeks □ 8 mg/kg IV every 4 weeks □ Other dose:mg IV every 4 weeks	
Cimzia	☐ Initial Dose: 400mg subcutaneously at weeks 0, 2, and 4 weeks Maintenance Dose: ☐ 200mg subcutaneously Q 2 weeks OR ☐ 400mg subcutaneously Q 4 weeks	
Krystexxa	□ 8mg IV every 2 weeks	
Immunoglobulin	□ IV □ SubQ	
	gm/kg xday(s) OR divided overday(s) Brand: mg/kg xday(s) OR divided overday(s) (Ascension at Home Together with Compassus	
	Frequency: Everyweeks or to choose if not indicated)	
Orencia	Orencia Dose:mg IV Frequency: □ Every 4 weeks OR □ 0, 2, 4 weeks, and every 4 weeks thereafter	
Simponi Aria	☐ Initial Dose: 2mg/kg at weeks 0, 4, and then every 8 weeks ☐ Maintenance Dose: 2mg/kg every 8 weeks	
Stelara	Initial Dose: 45mg subcutaneously initially, 4 weeks later, followed by 45mg every 12 weeks 90mg subcutaneously initially, 4 weeks later, followed by 90mg every 12 weeks Maintenance Dose: 45mg subcutaneously every 12 weeks Maintenance Dose: 90mg subcutaneously every 12 weeks	
Infliximab	Dose:mg/kg	
Rituximab	□ Do not substitute. Brand: □ Dose: □ 1000mg □ Other: □ May substitute biosimilar per insurance requirement	
KILUXIIIIAD	□ 375mg/m2 For Ascension at Home Together with Compassus use	
	Frequency: One time dose Weekly x4 weeks Brand: Brand:	
Saphnelo	☐ Day 0, repeat dose in 2 weeks ☐ Do not substitute. Brand:	
Premedication or Additional preme	ders: Tylenol □ 1000mg □ 500mg PO, please choose one antihistamine: □ Diphenhydramine 25 mg PO □ Loratadine 10mg PO □ Certirizine 10mg □ Quzyttir 10mg IVP dications: □ Solu-Medrolmg IVP □ Solu-Cortefmg IVP □ Other Lab frequency: □ Yearly TB QFT (optional) □ Baseline HepB	cAB total
DDUNIDED I	NFORMATION	
		thorization and specialty
	id utilizing our services, you are authorizing Ascension at Home together with Compassus and its employees to serve as your prior au agent in dealing with medical and prescription insurance companies, and to select the preferred site of care for the patient.	monzation and specialty
Provider Name: _	Signature: Date:	
Provider NPI:	Phone: Fax: Contact Person:	
☐ Opt out of AAI	Hogether with Compassus selecting Site of care (if checked, please list site of care)	
PREFERRED	LOCATION	
City:	State:	

Ascension at Home together with Compassus





COMPREHENSIVE SUPPORT FOR RHEUMATOLOGY THERAPY P: 800-648-8055 | F: 414-563-0600

PATIENT INFORMATION	
Patient Name:	DOB:
REQUIRED DOCUMENTATION FOR REFERRAL PROCESSING AND IN:	SURANCE APPROVAL
\square Include <u>signed</u> and <u>completed</u> order (MD/prescriber to complete page 1)	
lacksquare Include patient demographic information and insurance information	
☐ Include patient's medication list	
\square Supporting clinical notes to include any past tried and/or failed therapies, intolerance, benefits, or	contraindications to conventional therapy
☐ For biologic orders, has the patient had a documented contraindication/intolerance or failed trial o ☐ Yes ☐ No If yes, which drug(s)?	f a conventional therapy (i.e., steroids)?
☐ For biologic orders, does the patient have a contraindication/intolerance or failed trial to any other ☐ Yes ☐ No If yes, which drug(s)?	biologic?
☐ Include labs and/or test results to support diagnosis	
☐ If applicable - Last known biological therapy: and last date received: weeks perform a washout period of we weeks perform a washout period of we week perform a washout period of we week perform a washout period of we were washout period of we will not with a washout period of we will not w	rior to starting ordered biologic therapy.
□ Other medical necessity:	
REQUIRED PRE-SCREENING (BASED ON DRUG THERAPY)	
☐ TB screening test completed within 12 months - attach results	
Required for: Actemra, Cimzia, infliximab, Stelara, Simponi Aria, Orencia	
□ Positive □ Negative	
☐ Hepatitis B screening (Hepatitis B surface antigen) - ☐ Positive ☐ Negative	
Required for: Actemra, Cimzia, infliximab, rituximab, Simponi Aria Hepatitis B core antibody total (not IgM) - Positive	
Required for: rituximab	
☐ Serum immunoglobulins - attach results Recommended for: rituximab	
☐ Baseline creatinine - attach results Required for: IVIG	
*If TB or Hepatitis B results are positive - please provide documentation of treatment or medical clearance, and a r	regative CXR (TB+)
Ascension at Home together with Compassus will complete insurance verification and submit all requi approval to the patient's insurance company for eligibility. Our team will notify you if any additional information of the patient's insurance company for eligibility.	ormation is required.
We will review financial responsibility with the patient and refer him/her to any available co-pay assist Thank you for the referral.	ance as needed.

Please fax all information to 414-563-0600 or call 800-648-8055 for assistance